




2022
DATASHEET
CATALOGUE



CONTENTS

SELF ADHESIVE VINYL	Monomeric - Short Term	4
PVC BANNER	Frontlit	9 - 10
	Backlit	12
	Blockout Double Sided	14 - 16
	Mesh	18 - 20
	Non PVC Mesh	22
LAMINATES	Anti-Graffiti	24
FLOOR GRAPHICS		26 - 28
WALL COVERINGS	Paste	30 - 31
DREAMSCAPE WALL COVERINGS		
	White Textures	34 - 49
	Special Effects	51 - 59
	Sustainable	61 - 64
WINDOW FILMS		66
FABRICS & TEXTILES	Frontlit	69 - 74
	Backlit	76 - 79
	Blockout / Blackback	81 - 83
	Double Sided	85
	Flag	87 - 89
	Specialty	91 - 96
CANVAS		98
ACCESSORIES		101
INDEX		103

SELF ADHESIVE VINYL

MONOMERIC - SHORT TERM



IT10001

GLOSS WHITE MONOMERIC HIGH TACK SAV

SOLVENT AND UV CURABLE INKJET MEDIA

DESCRIPTION

Promotional grade super permanent self-adhesive vinyl for adhesion on to hard to stick surfaces.



Roll Width	137cm
Roll Length	50 metres
Film	White gloss monomeric calendered PVC
Thickness	100 micron
Adhesive	White gloss super permanent solvent based
Liner	PE coated paper
Finish	Gloss
Outdoor Durability	2 up to 2yr life span *
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Excellent adhesion to rough and low surface energy substrates High tack

* Unprinted



DREAMSCAPE® AND BILD™



Let your designs come to life
with Ricky printable media

Dreamscape® wall coverings and BILD™ free floating flooring are exclusively available from Ricky. Both printable products are suitable for commercial projects that allow you to create unique spaces in various locations for your client. Easy to install, remove or changeover to the latest promotion, these products are fire retardant and can be printed using solvent, UV and latex inks.

Contact your Print Media
expert today, call 02 9735 3333

rickyrichards.com.au



PVC BANNER

FRONTLIT



RICKYFLEX

MATTE SEMI-COATED BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Rickyflex is a premium semi coated front-lit PVC banner ideal for interior & exterior banners and roll up displays.



Roll Widths	137cm, 160cm & 210cm		
Roll Length	50 metres		
Nominal Weight	510gsm		
Base Fabric	Woven 1100dtex polyester		
Fabric Density	8 x 8 threads per cm ²		
Fabric Type	Semi-coated PVC		
Finish	Matte		
Treatment	UV stabilised		
Printing Compatibility			
Tensile Strength	Warp: 2300	N/5cm	DIN 53354 BS 3424 Method 6A
	Weft: 1900		
Tearing Strength	Warp: 240	N/5cm	DIN 53356 BS 3424 Method 7A
	Weft: 200		
Features	Suitable for medium term outdoor applications Smooth matte finish Knife coated Low curl High strength		

8

RICKYFLEX FR







MATTE SEMI-COATED BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Rickyflex FR is a premium semi coated front-lit PVC banner ideal for interior & exterior banners and roll up displays.



Roll Widths	250cm, 320cm, 350cm & 500cm		
Roll Length	55 metres		
Nominal Weight	510gsm		
Base Fabric	Woven 1100dtex polyester		
Fabric Density	8 x 8 threads per cm ²		
Fabric Type	Semi-coated PVC		
Finish	Matte		
Treatment	UV stabilised		
Fire Retardant	 		
Printing Compatibility	   		
Tensile Strength	Warp: 2300	N/5cm	DIN 53354 BS 3424 Method 6A
	Weft: 1900		
Tearing Strength	Warp: 240	N/5cm	DIN 53356 BS 3424 Method 7A
	Weft: 200		
Features	FR retardant Suitable for medium term outdoor applications Smooth matte finish Knife coated Low curl High strength		

SWING 8





LIGHTWEIGHT BLACK BACK PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Lightweight recycled black backed PVC fabric for banners and billboards.

E environmentally friendly **I** internal **E** external

Roll Widths	250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	270gsm
Base Fabric	Knitted 840dtex polyester
Fabric Density	3.5 x 2.4 threads per cm ²
Fabric Type	Laminated PVC with recycled black back
Finish	Gloss (320cm) & matte (250cm, 320cm & 500cm)
Treatment	UV stabilised
Printing Compatibility	   
Features	<p>35% lighter than conventional banner and billboard materials</p> <p>Lighter weight does not compromise physical strength as a high denier yarn is used</p> <p>Superior printability</p> <p>Recycled black back contains no heavy metals</p>

10

PVC BANNER

BACKLIT



RICKYTRANS





BACKLIT COATED FLEXFACE BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Rickytrans is a coated backlit PVC banner ideal for backlit signs.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	510gsm
Base Fabric	Woven 1100dtex polyester
Fabric Density	18 x 18 threads per cm ²
Fabric Type	Coated PVC
Finish	Matte
Printing Compatibility	   
Features	Matte finish Good outdoor durability

12

PVC BANNER

BLOCKOUT



USB ULTRA SMOOTH MATTE SEMI-COATED PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA


DESCRIPTION

USB is an ultra smooth blackout banner fabric suitable for indoor and short term outdoor projects.

APPLICATIONS

Ideal for interior double-sided banners, fixed displays and roll-up display systems.



Roll Widths	137cm, 160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	440gsm
Base Fabric	Woven 250 denier polyester
Fabric Density	14 x 14 threads per cm ²
Fabric Type	Semi coated PVC
Finish	Matte
Treatment	UV stabilised
Printing Compatibility	
Features	Ultra smooth surface on both sides Printable both sides UV stabilised Excellent printability Excellent lay flat

14

BL610


SATIN SMOOTH BLOCKOUT PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for doublesided indoor and outdoor banners.



Roll Widths	137cm, 160cm, 203cm, 250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Printing Compatibility	
Breaking Strength [DIN53354]	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength [DIN53356]	Warp: 350N Weft: 320N
Adhesion [DIN53357]	100N/50mm
Temperature [DIN53372]	-30° to 70°
Features	High tear strength Printable both sides Smooth finish Meterage markings

15

BL610 FR







SATIN SMOOTH DOUBLE SIDED FR BLOCKOUT PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for double sided indoor and outdoor banners.



Roll Widths	250cm, 320cm & 500cm
Roll Length	55 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Fire Retardant	 
Printing Compatibility	   
Breaking Strength (DIN53354)	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength (DIN53356)	Warp: 350N Weft: 320N
Adhesion (DIN53357)	100N/50mm
Temperature (DIN53372)	-30° to 70°
Features	Fire Retardant B1& AS/NZS 1530 High tear strength Printable both sides Smooth finish Meterage markings

PVC MESH



BACKLINER MESH PLUS

PVC COATED MESH WITH A LINER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Backliner Mesh is a PVC coated polyester mesh ideal for applications that require light or wind to filter through. The release liner allows banners to be printed without ink flow through.

APPLICATIONS

Lined PVC mesh ideal for perimeter fencing, window banners and display screens.



Roll Widths	137cm, 160cm & 250cm
Roll Lengths	50 metres - 137cm, 160cm & 250cm 55 metres - 160cm & 250cm
Nominal Weight	270gsm
Finish	Matte
Base Fabric	Knitted 1100dtex polyester
Fabric Density	4.7 x 4.7 threads per cm ²
Fabric Type	Dipped PVC
Treatment	UV stabilised
Printing Compatibility	   
Features	<ul style="list-style-type: none"> High strength Excellent ink adhesion Superior image quality Two lengths available

MESHBLOCK

400GSM COATED DOUBLE-SIDED PRINTABLE PVC MESH

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Meshblock FR can be printed both sides with no show through ideal for pole banners, tradeshow displays, banner stands, perimeter fencing, building wraps and window banners.



Roll Widths	160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	400gsm
Finish	Matte
Base Fabric	Woven 840 x 500dtex polyester
Fabric Density	10 x 11 threads per cm ²
Fabric Type	Coated PVC
Fire Retardant	
Treatment	UV stabilised Fire retardant
Printing Compatibility	   
Features	High strength Excellent ink adhesion Blockout Double-sided

PROMOMESH FR




270GSM PVC COATED FR MESH

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Promomesh FR is ideal for perimeter fencing, building wraps, window banners and display banners.



Roll Widths	160cm, 183cm, 320cm & 500cm
Roll Lengths	160cm - 55 metres & 110 metres 183cm - 55 metres & 110 metres 320cm - 55 metres 500cm - 55 metres
Nominal Weight	270gsm
Finish	Matte
Base Fabric	Woven 1000dtex polyester
Fabric Density	12 x 12 threads per cm ²
Fire Retardant	 
Treatment	UV stabilised
Printing Compatibility	   
Features	High strength Excellent ink adhesion AS/NZS 1530 test

NON PVC MESH



AIR MESH 120

PVC FREE MESH FABRIC

DIGITAL PRINTING TEXTILES






DESCRIPTION

Lightweight polyester PVC free mesh, ideal for Dye Sub printing.

APPLICATIONS

Ideal for banners, flags, beach flags and wall covering.



Roll Widths	205cm & 310cm
Roll Length	100 metres
Nominal Weight	115gsm
Fabric Type	100% Polyester
Air Permeability	Open area 6%cm ²
Finish	Digital coating one side / uncoated otherside
Printing Compatibility	   
Cutting	
Tensile Strength (DIN EN ISO 13934-1)	Warp: 30 daN Weft: 35 daN
Tear Resistance (DIN EN ISO 13937-1)	Warp: 14N Weft 13N
Features	PVC free Excellent printability Lightweight Uncoated one side Easy to handle



LAMINATES

ANTI-GRAFFITI



LAMPDF

ANTI-GRAFFITI GLOSS NON PVC LAMINATE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Anti-graffiti film for over lamination of digitally printed images and protection against most chemical products and solvents.



Roll Width	137cm
Roll Length	50 metres
Film	50 micron PVDF (polyvinyl difluoride)
Finish	Gloss
Adhesive	Clear permanent solvent based
Liner	120gsm clay coated paper
Outdoor Durability	 *
Features	<ul style="list-style-type: none"> Easy to remove graffiti Clear permanent water based adhesive UV resistant Chemical resistant Humidity resistant Dirt resistant Solvent-based pressure-sensitive permanent acrylic glue Added UV inhibitors for superior print durability

* Please refer to supplier datasheet for more details.

24

FLOOR GRAPHICS



PRO-FLOOR

DIRECT PRINT FLOOR SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Direct print non-slip vinyl for floors, walls, carpet and sidewalk graphics. No lamination required.



Roll Width	137cm
Roll Lengths	25 metres & 50 metres
Thickness	150 micron
Liner	PE coated
Film	Coated 120gsm paper
Adhesive	Removable
Finish	Embossed textured matte
Outdoor Durability	2 up to 2yr life span*
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Excellent slip resistance (Slip Resistant Test AS 4586:2013) R11 Slip Rating Long durability due to the composition of PVC and fabric Residue free removability Short to medium term flooring

26

BILD

LONG TERM PRINTABLE FLOOR COVERING

SOLVENT AND UV CURABLE INKJET MEDIA

APPLICATIONS

Premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums, convention centres, sports arenas, bars, restaurants and gymnasiums.



Product Finish	Ceramic
Roll Widths	152cm & 304cm
Roll Length	15.24 metres
Nominal Weight	2440gsm
Finish	Matte
Material	Extruded clear PVC sheet
Thickness	1.9mm
Fire Retardant	AS/ISO9239.1 fire test
Printing Compatibility	
Features	Reverse side printing Reusable Easy to clean No adhesive necessary Slip, tear, chemical and waterproof

*Sample card available on request.

PRINT FLOOR

SHORT TERM FLOORING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA


DESCRIPTION

Endutex Print Floor is a printable slip resistant PVC ideal for promotional floor graphics. It has a superior lay flat and can be used over many types of flooring.

APPLICATIONS

Printable linoleum for promotional floor graphic applications, exhibition stands, retail, fashion shows, theatre and film sets.



Roll Widths	250cm & 320cm
Roll Length	30 metres
Nominal Weight	1000gsm
Material	85% PVC / 15% PES
Finish	Matte
Thickness	2.2mm
Printing Compatibility	 
Features	Slip resistant Superior lay flat No adhesive

WALL COVERINGS

PASTE



POLYCRIL 275







RESIN COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	 
Printing Compatibility	   
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1



30

POLYCRIL GW







RESIN COATED POLYESTER BLOCKOUT FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

An environmentally friendly 100% PVC free material that has a black backing to create full blackout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Black back) - 100% PVC free
Finish	Matte
Fire Retardant	 
Printing Compatibility	   
Features	Environmentally friendly PVC free Full blackout 100% Recyclable Fire Retardant B1





IMAGINATION
BROUGHT TO LIFE



R ricky
Print Media

DREAMSCAPE

WHITE TEXTURES



DREAMSCAPE ARTIST CANVAS







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Lengths	22.86 metres & 45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

34

DREAMSCAPE BEADS







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Cotton polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

35

DREAMSCAPE CABRETTA







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Cotton polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

36

DREAMSCAPE CANVAS







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed wallcovering for long term decoration.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

* Only available in jumbo rolls

37

DREAMSCAPE HIGH PERFORMANCE CANVAS







COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Optimised for highest level of print consistency with Latex and other inkjet printing systems.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

38

DREAMSCAPE CRISS CROSS







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

39

DREAMSCAPE GRASSCLOTH

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed wallcovering for long term decoration. Dreamscape Grasscloth has the appearance of a woven grasscloth which provides excellent printability and limitless decorative options.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Can be installed with commercially available wallpaper adhesives Appearance of a woven grasscloth Excellent printability Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

40

DREAMSCAPE MATTE

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed wallcovering for long term decoration.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

41

DREAMSCAPE HIGH PERFORMANCE MATTE







COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Optimised for highest level of print consistency with Latex and other inkjet printing systems.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

DREAMSCAPE MYSTICAL







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

43

DREAMSCAPE PIQUE







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Non woven polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

DREAMSCAPE PLASTER







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Cotton polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

45

DREAMSCAPE SANDBLAST







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Cotton polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

46

DREAMSCAPE SILK







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Cotton polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>



DREAMSCAPE SUEDE

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

48

DREAMSCAPE HIGH PERFORMANCE SUEDE







COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998</p>

49

DREAMSCAPE

SPECIAL EFFECTS



DREAMSCAPE BLACK FLASH




COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Polyester/PVC face with polyester non-woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	<p>Non woven polyester backing provides easy hanging and removal</p> <p>Can be installed using commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

51

DREAMSCAPE BLING







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Glass bead printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Metallic enriched glass bead embossed PVC with a poly cotton fabric backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Makes metallic printing a reality Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

DREAMSCAPE COPPER FLASH


COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	<p>Non-woven polyester backing providing easy hanging & removal</p> <p>Can be installed with commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

DREAMSCAPE GOLD FLASH




COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	<p>Non-woven polyester backing providing easy hanging & removal</p> <p>Can be installed with commercially available wallpaper adhesives</p> <p>Heavy duty commercial grade for long term decoration</p> <p>Fire rating AS/NZS 3837: 1998</p>

DREAMSCAPE PRISMA







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Glitter effect embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Eye catching multi coloured sparkle effect Optimised white point Polyester cotton fabric backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

55

DREAMSCAPE SATARA PEARL







COMMERCIAL GRADE WALLCOVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	Elegant pearl finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

56

DREAMSCAPE SATARA STEEL







COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	<p>Sophisticated steel finish looks and feels like fabric</p> <p>Can be installed with commercially available wallpaper adhesives</p> <p>Fabric backing provides easy installation</p> <p>Fire rating AS/NZS 3837: 1998</p>

57

DREAMSCAPE SILVER FLASH




COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Lengths	22.86 metres & 45.72 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	<ul style="list-style-type: none"> Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SILVER ODYSSEY




COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Metallic printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Embossed polyester/PVC face with polyester non-woven fabric backing
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	
Features	Combines a stunning silver chrome finish with a deep rich texture Can be installed with commercially available wallpaper adhesives Non-woven polyester backing allows easy installation and removal Fire rating AS/NZS 3837: 1998

DREAMSCAPE

SUSTAINABLE



DREAMSCAPE NOLAR







ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Material	100% Nolar (non-woven fibres and wood pulp)
Finish	Smooth
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

61

DREAMSCAPE NOLAR SAILCLOTH







ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Finish	Light textile embossed
Material	100% Nolar (non-woven fibres and wood plup)
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

62

DREAMSCAPE TERRALON







ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

63

DREAMSCAPE TERRALON SMOOTH







ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	 
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	   
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

64

WINDOW FILMS



SQUID®



PRINTABLE SELF ADHESIVE TRANSPARENT WINDOW TEXTILE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA


APPLICATIONS

An innovative transparent self adhesive window textile for internal window and vertical glass surface applications. This product can be digitally printed and/or cut.



Roll Width	130cm
Roll Lengths	25 metres & 50 metres
Nominal Weight	105gsm (fabric only) / 140gsm (with liner)
Colours	Chalk, Bone, Oak, Ash, Rock & Coal
Thickness	300 micron
Adhesive	Air escape repositionable
Liner	35gsm polypropylene
Fabric Type	100% Woven Polyester
Treatment	Flame Retardant M1/B1 Humidity Resistant Anti-Bacterial UV Stabilised PVC Free
Features	Privacy - transparent from the inside and obscured view from the outside (daytime only) Sun protection - Up to 1/3 of the sun's rays reflected The sensing temperature on a window covered with Squid compared to an uncovered window is at least 3°C lower 5 year service life* Can be digitally printed as an advertising/communication tool or for custom design
Printing Compatibility	 

*Squid® has a service life of 5 years providing that Squid® is correctly installed on a vertical glass surface.



FABRICS & TEXTILES

FRONTLIT



be.tex[®] ECO DISPLAY - MATTE

POLYESTER FABRIC

DIGITAL PRINTING TEXTILES







DESCRIPTION

Eco Display is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS

Ideal for frame display systems, pop up displays, roll up displays, x-kite displays and banners.



Roll Widths	260cm & 320cm
Roll Length	100 metres
Nominal Weight	210gsm
Fabric Type	Knitted polyester
Thickness	410 micron
Stretch	Length up to 1-2% Width/Diagonal up to 2-3%
Fire Retardant	
Printing Compatibility	   
Cutting	
Features	Crease resistant Non fraying

be.tex[®] GREEN REVOLUTION[®] FR

KNITTED POLYESTER DISPLAY TEXTILE

DIGITAL PRINTING TEXTILES







DESCRIPTION

be.tex Green Revolution FR is a knitted polyester display textile. Product made from 100% recycled PET bottles.

APPLICATIONS

Ideal for display frame systems, tablecloths and media walls



Roll Widths	160cm & 320cm	
Roll Length	100 metres	
Nominal Weight	180gsm	
Thickness	360 micron	
Fabric Type	Polyester	
Stretch	Length up to 0.8% Width up to 0.6%	
Finish	One side Matte, otherside Gloss	
Fire Retardant		
Printing Compatibility	   	
Cutting		
Features	Fine structure High opacity Colour boost coating	Excellent crease resistances Non fraying



be.tex[®] EXPANDABLE

STRETCH POLYESTER FABRIC

DIGITAL PRINTING TEXTILES






DESCRIPTION

Expandable is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS

Ideal for pop up display systems, frame display systems, tablecloths and chair covers.



Roll Width	320cm
Roll Length	80 metres
Nominal Weight	180gsm
Fabric Type	Knitted polyester
Thickness	430 micron
Stretch	Length up to 3% Width up to 8%
Fire Retardant	
Printing Compatibility	  
Cutting	
Features	High elasticity Soft handle Non fraying Crease resistant

SOFTIMAGE ELASTICO

STRETCH POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

APPLICATIONS

Ideal for pop up display systems, frame display systems, euro poles systems/displays, tablecloths and chair covers.



Roll Width	320cm
Roll Length	100 metres
Nominal Weight	175gsm
Fabric Type	100% Polyester
Fire Retardant	
Printing Compatibility	
Cutting	
Features	Crease resistant Stretch capacity – up to 13.3% Fire Retardant B1, M1

STARLIGHT DISPLAY FR

KNITTED POLYESTER DISPLAY TEXTILE

DIGITAL PRINTING TEXTILES








DESCRIPTION

Universal knitted textile with some stretch and good opacity.

APPLICATIONS

Ideal for display, pop ups and backdrops.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	100% Polyester
Stretch	Length up to 1.8% Width up to 1.8%
Finish	Matte
Fire Retardant	
Printing Compatibility	   
Cutting	 
Features	Frontlit display textile Slight stretch Good opacity



POLYCRIL 275







RESIN COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	 
Printing Compatibility	   
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1



74

FABRICS & TEXTILES

BACKLIT



be.tex® SAMBA® FR

BACKLIT FABRIC

DIGITAL PRINTING TEXTILES









DESCRIPTION

Coated and heat set, fire retardant woven polyester digital printing textile.

APPLICATIONS

Ideal for light boxes, frame display systems, pop up displays, inflatables, quick shades, parasols and bean bags.



Roll Widths	160cm, 260cm, 320cm & 500cm
Roll Lengths	70m - 160cm 100m - 260cm & 320cm 50m - 500cm
Nominal Weight	195gsm
Fabric Type	Woven polyester
Thickness	230 micron
Stretch	Length up to 1% Width up to 1.4%
Fire Retardant	 
Printing Compatibility	    
Cutting	
Features	Crease resistant Water tight Air tight Non fraying Excellent lay flat

76

be.tex® GREEN SAMBA® FR

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES




DESCRIPTION

Consisting of yarn obtained from recycled plastic bottles, this printable textile leads the way when it comes to sustainability in the printable textiles industry.

APPLICATIONS

Ideal for light boxes, inflatables, display frame systems, banners, stand construction, bean bags and table cloths.



Roll Widths	160cm, 260cm & 320cm	
Roll Lengths	70 metres (160cm) 100 metres (260cm & 320cm)	
Nominal Weight	195gsm	
Fabric Type	Woven 100% polyester	
Stretch	Length up to 0.8% Width up to 0.8%	
Finish	Matte	
Fire Retardant		
Printing Compatibility		
Cutting		
Features	<ul style="list-style-type: none"> Fire retardant 100% recyclable Light diffusion coating Non fraying Yarn made from 100% recyclable plastic bottles 	<ul style="list-style-type: none"> Air tight Crease resistant Lays flat



AURORA BACKLIT PLUS FR DIRECT DYE

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES






DESCRIPTION

Aurora Backlit Plus FR Direct Dye is 100% woven polyester backlit textile. 100% recyclable textile.

APPLICATIONS

Ideal for SEG light boxes and frame systems.



Roll Widths	160cm & 320cm
Roll Length	50 metres
Nominal Weight	190gsm
Finish	Matte
Fire Retardant	
Film	100% polyester
Fabric Type	Polyester
Stretch	Length up to 0.8% Width up to 3.0%
Printing Compatibility	 
Cuttings	 
Features	Backlit textile Excellent colour No pin hole or show through



AURORA BACKLIT PLUS FR DIRECT TRANSFER

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES





DESCRIPTION

Aurora Backlit Plus FR Direct Transfer is 100% woven polyester backlit textile. 100% recyclable textile.

APPLICATIONS

Ideal for SEG light boxes and frame systems.



Roll Width	160cm
Roll Length	100 metres
Nominal Weight	190gsm
Finish	Matte
Fire Retardant	
Film	100% polyester
Fabric Type	Polyester
Stretch	Length up to 0.8% Width up to 3.0%
Printing Compatibility	
Cuttings	 
Features	Backlit textile Excellent colour No pin hole or show through



FABRICS & TEXTILES

BLOCKOUT / BLACKBACK



PANTHER BLACK BACK

KNITTED POLYESTER BLOCKOUT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

Knitted white/black structure, 100% obscuring rate with slight stretch.

APPLICATIONS

Ideal for backdrops, pop up frames, exhibition and display systems.



Roll Widths	160cm & 320cm
Roll Length	100 metres
Nominal Weight	260gsm
Fabric Type	100% Polyester
Stretch	Length up to 1.8% Width up to 1.8%
Finish	Matte
Fire Retardant	
Printing Compatibility	 
Cutting	 
Features	Blockout textile Black back backdrop fabric Excellent colour density



SOFTIMAGE CONTRAST

BLOCKOUT POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Softimage Contrast is a knitted polyester textile with black foam backing.

APPLICATIONS

Ideal for frame display systems, theatre backdrops, hanging banners and projection screens.



Roll Widths	320cm & 505cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	Knitted polyester with black foam backing
Fire Retardant	AS/NZS 1530 fire test
Printing Compatibility	
Cutting	
Features	Fire Retardant B1 100% Blockout Crease resistant Non fraying



POLYCRIL GW

RESIN COATED POLYESTER BLOCKOUT FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

An environmentally friendly 100% PVC free material that has a black backing to create full blackout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Black back) - 100% PVC free
Finish	Matte
Fire Retardant	
Printing Compatibility	
Features	Environmentally friendly PVC free Full blackout 100% Recyclable Fire Retardant B1



FABRICS & TEXTILES

DOUBLE-SIDED



LUNA BLOCKOUT

KNITTED POLYESTER DOUBLE-SIDED BLOCKOUT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

Dye sub textile for double-sided printing, white/black/white

APPLICATIONS

Ideal for display frames systems, pop up's and blackout curtains.



Roll Widths	160cm & 320cm
Roll Length	50 metres
Nominal Weight	260gsm
Fabric Type	100% Polyester
Stretch	Length up to 0.6% Width up to 0.6%
Finish	Matte
Printing Compatibility	 
Cutting	 
Features	Blockout textile Printable both sides Non fraying Crease resistant



FABRICS & TEXTILES

FLAG



be.tex[®] ECO FLAG

POLYESTER FABRIC

DIGITAL PRINTING TEXTILES







DESCRIPTION

Eco Flag is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS

Ideal for flags and teardrop banners.



Roll Width	160cm
Roll Length	100 metres
Nominal Weight	117gsm
Fabric Type	Knitted polyester
Fire Retardant	
Printing Compatibility	   
Cutting	
Features	<ul style="list-style-type: none"> Outstanding print through Crease resistant Soft handle Non fraying

be.tex[®] FLAG 130

POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Flag 130 is a durable heavy weight digital printing textile that is ideal for flags and teardrop banners.



Roll Widths	155cm & 310cm
Roll Lengths	100 metres - 151cm 200 metres - 310cm
Nominal Weight	130gsm
Fabric Type	Knitted polyester
Fire Retardant	
Printing Compatibility	   
Cutting	
Features	<ul style="list-style-type: none"> Durable heavy weight Soft handle Non fraying Crease resistant Anti static Excellent print through effect Fire Retardent B1

88

AIR MESH 120

PVC FREE MESH FABRIC

DIGITAL PRINTING TEXTILES






DESCRIPTION

Lightweight polyester PVC free mesh, ideal for Dye Sub printing.

APPLICATIONS

Ideal for banners, flags, beach flags and wall covering.



Roll Widths	205cm & 310cm
Roll Length	100 metres
Nominal Weight	115gsm
Fabric Type	100% Polyester
Air Permeability	Open area 6%cm ²
Finish	Digital coating one side / uncoated otherside
Printing Compatibility	   
Cutting	
Tensile Strength (DIN EN ISO 13934-1)	Warp: 30 daN Weft: 35 daN
Tear Resistance (DIN EN ISO 13937-1)	Warp: 14N Weft 13N
Features	PVC free Excellent printability Lightweight Uncoated one side Easy to handle



FABRICS & TEXTILES

SPECIALTY



SILENCIO

ACOUSTIC TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

The first acoustic fabric with a three-dimensional look. Not only are the sound waves absorbed, they are also broken up with a positive impact on sound perception. It unites function and aesthetics in a unique fashion, can be digitally printed in high resolution and is ideally suited for a design oriented interior decoration taking acoustic aspects into consideration

APPLICATIONS

State of the art acoustical installations and interior design solutions.



Roll Width	310cm
Roll Length	50 metres
Nominal Weight	300gsm
Thickness	Size 5 - 2mm Size 10 - 4mm
Fabric Type	Woven 100% Trevira CS
Fire Retardant	
Printing Compatibility	 (Note: only suitable for Direct Textile printers with inline fixation units)
Cutting	
Features	Produced from permanently flame-retardant Trevira CS Amazing 3 dimensional honeycomb structure Available in 5mm & 10mm rhombus sizes

AKUSTICO

ACOUSTIC TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

A flexible, yet especially hard-wearing, acoustic textile for sound-optimised interior decoration. Ideal for producing curtains, ceiling sails and for covering design features with a sound-absorbing function. The special weaving process ensures a uniform looking surface from any angle.

APPLICATIONS

Sound absorption, upholstery and work station partitions.



Roll Widths	155cm & 310cm
Roll Length	50 metres
Nominal Weight	270gsm
Fabric Type	Woven polyester
Fire Retardant	
Printing Compatibility	
Cutting	
Features	<ul style="list-style-type: none"> Unique crepe weave Hi scrub and piling resistant Crease resistant Non fraying

SHAPE

SHAPEABLE POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

For artistic 3 dimensional fabric installations where a completely unique look and feel is required.



Roll Width	320cm
Roll Length	50 metres
Nominal Weight	200gsm
Fabric Type	50% Polyester / 50% Stainless steel wire
Finish	Mild metallic
Fire Retardant	
Printing Compatibility	
Cutting	
Features	Light diffusive and reflective properties Create 3 dimensional shapes

TENT TEXTILE

WOVEN POLYESTER PREMIUM TENT FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION





Woven, one side acrylic coated, waterproof.

APPLICATIONS

Ideal for tents, tradeshows, outdoor ad/promotion and outdoor events.



94

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	280gsm
Fabric Type	100% Polyester
Thickness	400 micron
Stretch	Length up to 0.1% Width up to 0.1%
Finish	Matte
Printing Compatibility	    Print on fabric side only
Cutting	
Features	Woven One side acrylic coated Waterproof one side

NAPAPRINT





UPHOLSTERY FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Napaprint is an Endutex printable product specially designed for creating custom upholstery, sofas, ottomans and bean bags.



Roll Width	137cm
Roll Length	50 metres
Nominal Weight	550gsm
Fabric Type	PVC coated knitted polyester
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Soft Flexible High elasticity

95

LEATHER PRINT





UPHOLSTERY FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Leather Print by Endutex is a printable fabric that has been specifically designed for creating unique indoor décor and furniture pieces like sofas, ottomans or bean bags.



Roll Width	137cm
Roll Length	50 metres
Nominal Weight	660gsm
Fabric Type	PVC coated polyester knitted fabric
Finish	Leather embossed texture
Treatment	Fire retardant
Printing Compatibility	   
Features	<ul style="list-style-type: none"> Contains cotton to increase the softness Flexible Leather emboss texture Fire retardant

96

CANVAS





FREDRIX SELECT






MATTE ARCHIVAL QUALITY ARTIST CANVAS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Premium matte artist canvas for fine art reproductions, museum and gallery spaces.



Roll Widths	137cm, 157cm, 185cm, 264cm & 320cm
Roll Length	22.86 metres
Thickness	444 micron
Weight	340gsm
Fabric Type	65% polyester / 35% cotton
Finish	Matte acrylic top coat
Printing Compatibility	    
Features	<ul style="list-style-type: none"> Archival quality Acid free Wide colour gamut

98

FREDRIX[®] BY RICKY



Fredrix Select Printable canvas with 150 years of experience

Made in the USA this printable canvas is ideal for fine art and photographic reproductions for displays in galleries, museums, schools or even the rumpus room.



Contact your Print Media expert today,
call 02 9735 3333

rickyrichards.com.au



Image used for illustration purpose only

ACCESSORIES



SILICON PROFILE EDGING

DIGITAL PRINTING TEXTILES

DESCRIPTION

Silicone profile for easy fabric application into light box and display frame systems.

Roll Length	100 metres
Dimensions	14mm (wide) x 3mm (thickness)
Material	Extruded silicon
Features	High elasticity Easier to fold than conventional PVC profile Suitable for sewing to fabric

INDEX



SELF ADHESIVE VINYL - MONOMERIC

IT10001 4

PVC BANNER - FRONTLIT

RICKYFLEX 8

RICKYFLEX FR 9

SWING 8 10

PVC BANNER - BACKLIT

RICKYTRANS 12

PVC BANNER - BLOCKOUT

USB ULTRA SMOOTH 14

BL610 15

BL610 FR SERIES 16

PVC MESH

BACKLINER MESH PLUS 18

MESHBLOCK 19

PROMOMESH FR 20

NON PVC MESH

AIRMESH 120 22

LAMINATES - ANTI-GRAFFITI

LAMPDF 24

FLOOR GRAPHICS

PRO-FLOOR 26

BILD™ (formerly G-FLOOR) 27

PRINT FLOOR 28

WALL COVERINGS - PASTE

POLYCRIL 275 30

POLYCRIL GW 31

DREAMSCAPE - WHITE TEXTURES

DREAMSCAPE ARTIST CANVAS 34

DREAMSCAPE BEADS 35

DREAMSCAPE CABRETTA 36

DREAMSCAPE CANVAS 37

DREAMSCAPE HIGH PERFORMANCE CANVAS 38

DREAMSCAPE CRISS CROSS 39

DREAMSCAPE GRASSCLOTH 40

DREAMSCAPE MATTE 41

DREAMSCAPE HIGH PERFORMANCE MATTE 42

DREAMSCAPE MYSTICAL 43

DREAMSCAPE PIQUE 44

DREAMSCAPE PLASTER 45

DREAMSCAPE SANDBLAST 46

DREAMSCAPE SILK 47

DREAMSCAPE SUEDE 48

DREAMSCAPE HIGH PERFORMANCE SUEDE 49

DREAMSCAPE - SPECIAL EFFECTS

DREAMSCAPE BLACK FLASH 51

DREAMSCAPE BLING 52

DREAMSCAPE COPPER FLASH 53

DREAMSCAPE GOLD FLASH 54

DREAMSCAPE PRISMA 55

DREAMSCAPE SATARA PEARL 56

DREAMSCAPE SATARA STEEL 57

DREAMSCAPE SILVER FLASH 58

DREAMSCAPE SILVER ODYSSEY 59

DREAMSCAPE - SUSTAINABLE

DREAMSCAPE NOLAR 61

DREAMSCAPE NOLAR SAILCLOTH 62

DREAMSCAPE TERRALON 63

DREAMSCAPE TERRALON SMOOTH 64

WINDOW FILMS

SQUID® 66

FABRICS & TEXTILES - FRONTLIT

be.tex® ECO DISPLAY FR - MATTE 69

be.tex® GREEN REVOLUTION® FR 70

be.tex® EXPANDABLE 71

SOFTIMAGE ELASTICO 72

STARLIGHT DISPLAY FR 73

POLYCRIL 275 74

FABRICS & TEXTILES - BACKLIT

be.tex® SAMBA® FR 76

be.tex® GREEN SAMBA® FR 77

AURORA BACKLIT PLUS 78

- DIRECT DYE 78

AURORA BACKLIT PLUS 79

- DIRECT TRANSFER 79

FABRICS & TEXTILES - BLOCKOUT / BLACKBACK

PANTHER BLACKBACK 81

SOFTIMAGE CONTRAST 82

POLYCRIL GW 83

FABRICS & TEXTILES - DOUBLE-SIDED

LUNA BLOCKOUT 85

FABRICS & TEXTILES - FLAG

be.tex® ECO FLAG 87

be.tex® FLAG 130 88

AIRMESH 120 89

FABRICS & TEXTILES - SPECIALTY

SILENCIO 91

AKUSTICO 92

SHAPE 93

TENT TEXTILE 94

NAPAPRINT 95

LEATHERPRINT 96

CANVAS

FREDRIX SELECT 98

ACCESSORIES

SILICONE PROFILE 101



rickyrichards.com.au

